



Compact scale

9202/9203

- ▶ Simple operation with three keys for switching on / off, taring, adding, unit switching
- ▶ Weighing platform and housing made from 1.4301 stainless steel
- ▶ Battery operation with 9 V block
- ▶ Auto-off function for battery mode
- ▶ Protection class IP 54



Features

- ▶ Simple operation with three keys for switching on / off, taring, adding, unit switching
- ▶ Weighing platform and housing made from 1.4301 stainless steel
- ▶ Protection class IP 54
- ▶ Large LC display (without backlighting), digit height 20 mm
- ▶ Battery operation with 9 V block
(battery not included in supplied scope, power supply optional)
- ▶ Auto-off function for battery mode (after 2 minutes)
- ▶ User calibration
- ▶ Nominal operating temperature: 0 °C to 40 °C
- ▶ Dimensions: 170 x 150 x 40 mm
- ▶ Scale weight: 690 g
- ▶ Unit changeover switch g / lb (9202), kg / lb (9203)

Products

Order number Variation	Approvable	Division g	Maximum load kg	Platform size mm
9202.10.001 Compact scale	No	0.1	0.5	120 x 150
9203.10.001 Compact scale	No	1	5	120 x 150

Accessories

Order number

Variation

Description

5901.00.001

Power supply 9 V, 300 mA, jack plug
