



## Bench scales

9055/9056/9057

- ▶ Extra-slim, ergonomic stainless steel platform
- ▶ Separate display unit – the weighed goods do not blind the display
- ▶ Quick and easy 1-button operation
- ▶ Battery operation allows flexible application in different places
- ▶ Large LCD display, digit height: 20 mm



## Features

---

- ▶ Extra-slim, ergonomic stainless steel platform; only a slight effort required to lift the goods onto the platform
- ▶ Separate display unit – the weighed goods do not blind the display
- ▶ Fast and easy one-button operation with extra large button
- ▶ Flexible use in different locations thanks to battery operation
- ▶ Energy-efficient due to integrated auto-off function of the rechargeable battery With adjustable timer from 1 - 30 minutes or continuous operation
- ▶ Internal user calibration for location adjustment
- ▶ Weight unit changeover from kg to lb
- ▶ Functions: Weigh, tare, add, plus/minus control, hold
- ▶ Optional: wall bracket (for versions with separate display)
- ▶ Large LC display, digit height: 20 mm
- ▶ Weighing platform: Stainless steel 1.4301  
Unterkonstruktion: Painted or galvanized steel sheet
- ▶ Integrated battery with power supply 100–240 V / 50–60 Hz, operating time: 50 h, charging time: 5.5 h, UK plug adapter
- ▶ Scale dimensions/scale weight::  
Bench scale:  
310 x 275 x 35 mm, 3 kg  
520 x 400 x 70 mm, 23 kg  
660 x 545 x 85 mm, 36 kg  
Stand scale:  
310 x 400 x 520 mm, 5 kg
- ▶ Protection Class IP 42
- ▶ Nominal operating temperature: -10°C to 40°C

### Options

- ▶ Wall bracket 37xx lacquered, Order No.: 2503.30.006
- ▶ UK power adapter, Order No.: 2557.25.002
- ▶ US power adapter, Order No.: 2557.25.004



### Options (for protection class IP 42)

- ▶ RS 232 EDP interface mounted, Order No.: 2563.21.004
- ▶ Data cable 3 m, Order no.: 2550.03.014

## Products

Order number Variation	Approvable	Division g	Maximum load kg	Model substructure	Platform size mm
9055.01.002 Bench scale	No	5	15	Galvanized steel sheet	310 x 275
9055.02.002 Bench scale	No	10	30	Galvanized steel sheet	310 x 275
9055.03.002 Bench scale	No	20	60	Galvanized steel sheet	310 x 275
9056.02.002 Bench scale	No	10	30	Painted anthracite grey	520 x 400
9056.03.002 Bench scale	No	20	60	Painted anthracite grey	520 x 400
9056.04.002 Bench scale	No	50	150	Painted anthracite grey	520 x 400
9057.04.002 Bench scale	No	50	150	Painted anthracite grey	660 x 545
9057.05.002 Bench scale	No	100	200	Painted anthracite grey	660 x 545

## Accessories

Order number Variation		Description
2563.21.004		RS232 IT interface, 9 pin (not decoupled, must be included in the purchase order, no retrofit possible)
2550.03.014		IT data cable for Basic and Standard 3 m, 9 pin, data cable for Professional 2 m, 5-9 pin (for not decoupled interface)
2564.20.005		Scale Connecting Plus, extensive software for transferring scale data to PC-based software (with activation code)
2557.25.002		UK power adapter